

Electrical Conductivity as a Control Factor in Selected Processes of Polymerization and Application of Micro and Nanoparticles

Prof. Witold Musiał

Department of Physical Chemistry and Biophysics, Wrocław Medical
University E-Mail: witold.musial@umw.edu.pl

Extended Abstract

Electrical conductivity is an important factor in the analysis of colloidal solutions often proposed as innovative systems for controlled drug delivery. Basic measurements of electrical conductivity include specific, molar and limiting conductivity, in the context of the conductivity of individual ions, and solvent and solution properties such as viscosity and density. Zeta potential measurements of colloidal systems are carried out as a factors informing about the potential stability of nanoparticle and microparticle dispersions [1]. Many of them, in pharmaceutical practice and medical analysis, are systems of aqueous dispersions of hydrophilic polymers in water. It seems that the course of polymer synthesis processes and the assessment of the ability of polymer systems to release medicinal substances can be monitored using conductometric measurements. Although the measurement result is necessarily the result of the movement of the ion mixture, in many cases, using appropriate standard systems or conducting studies in specific systems, the electrical signal can be used as information allowing to obtain useful knowledge about important features of the system being studied. A good example is the measurement of electrical conductivity, which can reflect changes in the concentration of a drug released from a drug dosage form, as exemplified by studies of the release of iron salts from complex drug forms [2,3]. Some attempts were made to apply the conductivity assays in evaluation of polymeric and liposomal preparation for topical and transdermal drug delivery [4,5]. Concentrations of other components within the nanostructured or microstructured may be reflected in the conductivity studies of. In studies on the synthesis of thermosensitive polymers with potential medical and pharmaceutical applications, we have repeatedly used the measurement of electrical conductivity of polymer microspheres and nanospheres obtained in the course of free radical synthesis. An interesting aspect is the comparison of the synthesized macromolecules, formed into nanostructures or microstructures, in terms of the conductivity of their solutions, which allows drawing conclusions about contamination with unreacted substrates or the presence of ionic functional groups [6,7]. In addition, the results allow, for example, estimating the end point of free radical polymerization, by identifying the asymptote on the conductivity-time graph, and indicate structural changes in the dispersions of thermosensitive polymers, along with changes in temperature and time [8,9].

Bibliography

1. Gasztych, M., Malamis, A. and Musiał, W., 2024. The Influence of Initiators, Particle Size and Composition on the Electrokinetic Potential of N-(Isopropyl) acrylamide Derivatives. *Polymers*, 16(7), p.907.
2. Lisik, A. and Musiał, W., 2019. Conductometric evaluation of the release kinetics of active substances from pharmaceutical preparations containing iron ions. *Materials*, 12(5), p.730.
3. Lisik, A., Prescha, A., Cavlaz, L.E., Grajeta, H. and Musiał, W., 2018. The evaluation of alternative method of ferrous ions assessment in pharmaceutical preparations. *Monatshefte für Chemie-Chemical Monthly*, 149, pp.931-937.
4. Krause, A., Kucharska K., Musiał, W., 2021. Influence of non-ionic, ionic and lipophilic polymers on the pH and conductivity of model ointments, creams and gels. *Polimery w Medycynie*, 51(1), pp.25-32.

5. Musiał, W., Caddeo, C., Jankowska-Konsur, A., Passiu, G., Urbaniak, T., Twarda, M. and Zalewski, A., 2024. Electrical Conductivity as an Informative Factor of the Properties of Liposomal Systems with Naproxen Sodium for Transdermal Application. *Materials*, 17(22), p.5666.
6. Musiał, W., Michálek, J., Pluta, J., Jaromin, A., Pietka-Ottlik, M. and Pradny, M., 2013. Biphasic Equilibrium Dialysis of Poly (N-Isopropyl Acrylamide) Nanogels Synthesized at Decreased Temperatures for Targeted Delivery of Thermosensitive Bioactives. *International Journal of Polymer Science*, 2013(1), p.925235.
7. Musiał, W., Pluta, J., Byrski, T. and Valh, J.V., 2015. The Conductivity and pH Values of Dispersions of Nanospheres for Targeted Drug Delivery in the Course of Forced Equilibrium Dialysis. *Advances in Clinical and Experimental Medicine*, 24(2), pp.219-226.
8. Gola, A., Kozłowska, M. and Musiał, W., 2022. Influence of the Poly (ethylene Glycol) Methyl Ether Methacrylates on the Selected Physicochemical Properties of Thermally Sensitive Polymeric Particles for Controlled Drug Delivery. *Polymers*, 14(21), p.4729.
9. Gola, A., Podżus, B., Gruszka, K. and Musiał, W., 2024. Influence of Poly (Ethylene Glycol) Dimethacrylates' Chain Length on Electrical Conductivity and Other Selected Physicochemical Properties of Thermally Sensitive N-isopropylacrylamide Derivatives. *Polymers*, 16(19), p.2786.